

Request for Proposals

Solicitation No. RFP #1016-007
Title: Lining, Rehabilitation & Construction of Mohammad Salabig Secondary Canal and Its Structures
Issue Date: 8th December 2019
Closing Date: 7th January 2020
Questions Due: 29th December 2019
Closing Time: 17hrs Kabul time
Bidders Meeting Date/Time: 15th December 2019 at 1:00pm late comers shall not be entertained
Bidders Meeting Location: SWIM Office at the Baron Hotel, Kabul, Afghanistan
Subject: USAID Contract No. AID-306-C-17-00001
Strengthening Watershed and Irrigation Management (SWIM)

DT Global (formerly known as AECOM International Development), the implementer of the Strengthening Watershed and Irrigation Management (SWIM) program under USAID Contract No. AID-306-C-17-00001, invites proposals for the Lining, Rehabilitation & Construction of Mohammad Salabig Secondary Canal and Its Structures as described in Attachment I "Scope of Work."

The issuance of a subcontract is subject to availability of funds, successful negotiation of the subcontract terms and budget, and reception of USAID's Contracting Officer subcontract consent, if required. The Contract resulting from this award is envisioned to be a Fixed Price (FP) subcontract.

DT Global encourages your organization to indicate its interest in this procurement by submitting a proposal in accordance with the instructions in Attachment II "Instructions to Offerors". Proposals will be evaluated based on the evaluation criteria established in Attachment III of this solicitation. An award will be made to the Offeror whose proposal represents the best value to the project after evaluation in accordance with the criteria stated in the solicitation.

To be considered under the solicitation process, the Offeror should submit a complete proposal by the means indicated herein no later than the closing date and time indicated above. Offerors should ensure that the proposals are well written, easy to read and follow, and contain only the requested information.

Proposals should be submitted **electronically** via email to: swimcontracts@swimafig.com

The solicitation number above must also be mentioned in the subject of the email.

No subcontractor will be awarded more than one subcontract.

All questions relating to this solicitation must be submitted **electronically** via email to:

Abasin Nawan at Abasin.nawan@swimafig.com, no later than 29th December 2019 at 17hrs Kabul time. Unless otherwise notified by an amendment to this RFP, no questions will be accepted after this date. No questions/clarifications will be entertained if received by means other than the specified email address. The solicitation number should be stated in the subject. If you are planning to submit a proposal, it is imperative to confirm receipt of this solicitation by email to swimcontracts@swimafig.com in order to be included on the solicitation mailing list to receive answers to questions and any future amendment(s).

A bidders' conference will be held at the location, date and time specified above for all interested offerors to attend.

Proposals must be submitted separately via two different emails. The first email shall include the technical proposal as an attachment and should be named "Technical Proposal" and the second email shall include the cost proposal and should be named "Cost Proposal."

Attachments:

- Attachment I Scope of Work
- Attachment II Instructions to Offerors
- Attachment III Evaluation Criteria
- Attachment IV Prime Contract Flow-Down Clauses

Sincerely,

Hoppy Mazier
Chief of Party

ATTACHMENT I - SCOPE OF WORK

Purpose:

DT Global seeks to identify a **construction company** to provide Lining, Rehabilitation & Construction of Mohammad Salabig Secondary Canal and Its Structures in order to improve and increase water productivity and efficiency.

Background:

DT Global is currently implementing the USAID-funded the Strengthening Watershed and Irrigation Management (SWIM) project. SWIM aims to support sustainable, agriculture-led economic growth by increasing the sustainable and productive use of water livelihoods and strengthening water resource management. The project focuses on three components; increase productive and sustainable use of water in agriculture; strengthen the water regulatory framework; and strengthen capacity of local entities to manage water resources. Activities will include support farmers and farm communities manage their water and on-farm resources; support the Government of the Islamic Republic of Afghanistan (GIROA) in strengthening water resource management; and support USAID's Regional Agriculture Development Programs (RADPs) to increase agricultural water productivity. The SWIM activity supports the Ministry of Agriculture, Irrigation and Livestock (MAIL) at their Kabul headquarters and sub-offices. The six urban areas planned for this activity correspond to the Afghan cities where MAIL headquarters and strategic business units are located; namely Samangan, Jawzjan, Mazar e Sharif, Badakhshan, Baghlan and Kunduz. SWIM is a five-year program currently scheduled to end on December 6, 2021.

Scope of Work:

Offeror should address how it intends to carry out the Scope of Work. It should also demonstrate a clear understanding of the work to be undertaken and of the responsibilities of all parties involved.

The Offeror, in coordination with SWIM office in Kabul and regional technical team at the field office shall manage, implement and supervise the tasks under this RFP to ensure that the services carried out are of acceptable quality and in accordance to SWIM's technical specifications, design, drawings, scope of work and approved work schedule for earthworks, concrete works and stone masonry works in canal, turnouts, culverts and retaining walls. The work included under this RFP for Lining, Rehabilitation & Construction of Mohammad Salabig Secondary Canal and Its Structures shall consist of the furnishing of all materials, equipment, and labor, necessary for earthworks, concrete works and stone masonry works and shall be carried out in accordance with the specifications mentioned in this SoW.

See detailed SoW as attachment I (Scope of Work, Technical Specifications, Bill of Quantity and Drawings)

ATTACHMENT II - INSTRUCTIONS TO OFFERORS

A. General Instructions

These Instructions to Offerors will not form part of the offer or of the Subcontract. They are intended solely to aid Offerors in the preparation of their proposals.

- This is a full and open competition open to all eligible construction and canal rehabilitation companies in **Northern Afghanistan**, specifically in **Baghlan** province.
- The proposals and all corresponding documents related to the proposal must be written in the English language unless otherwise explicitly allowed.
- No costs incurred by the Offerors in preparing and submitting the proposal are reimbursable by DT Global. All such costs will be at the Offeror's expense.
- Proposals and all cost and price figures must be presented in **Afghanis**. All prices should be net of Host Country VAT and customs duties. The services provided under this contract are funded by the U.S. Government and shall be exempt from Host Country taxes, import and other fees, as stipulated in the bilateral agreement between the U.S. Government and Government of Afghanistan. The subcontractor shall obtain prior written approval by DT Global before making any VAT payments. Awards and payments made to Afghan firms will be in local currency.
- The Offeror must state in its Proposal the validity period of its offer. The minimum offer acceptance period for this RFP is **120 days** after closing date of the RFP. Offers with a shorter acceptance period will be rejected. This RFP in no way obligates DT Global to award a subcontract.
- **Responsibility Determination**: Award shall only be made to "responsible" prospective Offerors. To enable DT Global to make this determination, the Offeror must, pursuant to FAR 9.104-1, briefly describe in Appendix 7 of the proposal that it:
 - has adequate financial resources including appropriate insurance coverage to perform the work stated herein, or the ability to obtain them; **Offerors should provide certified copy of bank statements and must have a cash balance of AFN 5,000,000 through the performance period**
 - is able to comply with the required or proposed delivery or performance schedule, taking into consideration all existing commercial and governmental business commitments;
 - has a satisfactory performance record;
 - has a satisfactory record of integrity and business ethics;
 - has the necessary technical capacity, equipment and facilities, or the ability to obtain them; and
 - is otherwise qualified and eligible to receive an award under applicable laws and regulations.
- **Eligibility of Firms – Source /Nationality**: The authorized geographic code for the source and nationality of the goods, services, and suppliers under the SWIM contract is 935. 935 requires that goods and services be acquired under the geographic code 935 which is any area or country including the cooperating country but excluding any country that is a prohibited source. A full discussion of the source and nationality requirements may be found at 22 CFR 228. Offerors whose proposals fail to meet the nationality requirements will be considered non-responsive.
- In addition to the above and to comply with the Afghan local laws, Offerors must be licensed and authorized to conduct business in Afghanistan.

According to Article 72 of Afghanistan Income Tax Law of Islamic Republic of Afghanistan, DT Global must withhold a certain percentage based on gross payment made to the subcontractor and transfer that amount, on behalf of the contractor, to the Ministry of Finance's relevant account. For businesses without a valid business license, 7% of the gross payment to the contractor shall be withheld as fixed tax in lieu of the income tax. For those who have a business license 2% will be withheld which will be credited against the Subcontractor's subsequent tax liabilities. A copy of Offerors' valid license or registration in Afghanistan is required.

- **Late Offers:** Offerors are wholly responsible for ensuring that their offers are received in accordance with the instructions stated herein. A late offer will not be eligible for consideration and will be rejected without evaluation, even if it was late as a result of circumstances beyond the Offeror's control.
- **Modification/Withdrawal of Offers:** Offerors have the right to withdraw, modify or correct their offer after such time as it has been emailed to DT Global; at the email address stated above and provided that the request is made before the RFP closing date.
- **Disposition of Proposals:** Proposals submitted in response to this RFP will not be returned. Reasonable efforts will be made to ensure confidentiality of both Cost and Technical Proposals received from all Offerors. This RFP does not seek information of a highly proprietary nature but if such information is included in the Offeror's proposal, the Offeror must alert DT Global and must annotate the material by marking it "Confidential and Proprietary" so that these sections can be treated appropriately.
- Regardless of the method used in the submission of the proposal, the Technical Proposal and Cost Proposal must be kept separate from each other. Technical Proposals **must not** make reference to cost or pricing data in order that the technical evaluation may be made strictly on the basis of technical merit.
- **Clarification and Amendment to the RFP:**
 - Any question raised regarding this solicitation should be received no later than December 05, 2019 17hrs Kabul time. All questions must be **in writing**, emailed to the email address specified in the cover letter. No questions/clarifications will be entertained if they are received by means other than the aforementioned email address. The solicitation number should be stated in the subject line. Responses to questions received will be compiled and emailed to potential Offerors.
- If Offeror intends to submit a proposal in response to this solicitation and wishes to receive any updates thereto, Offeror is encouraged to confirm receipt of this solicitation by email to the email address specified in the cover memo.
- Offeror's email message should state in the subject the solicitation number. Also, the email should include the name of your organization, the name of contact person, email address and telephone number.
- DT Global anticipates that discussions with Offerors will be conducted; however, DT Global reserves the right to make award without discussions. Therefore, it is strongly recommended that Offerors present their best offer as their initial submission.
- DT Global may waive informalities and minor irregularities in proposals received.
- **MANDATORY SITE VISIT:** The mandatory site visit of the proposed works will be at the offeror's own cost before submitting the proposals (see Attached 3 - location map). Failure to participate in the mandatory site visit will lead to disqualification:

Canal Name	Site visit Date	Meeting Place	Meeting time
Mohammad Salabig Canal	18 December 2019	Baghlan DAIL office	8:00 AM – 10:00 AM

- **For questions regarding the mandatory site visit, please contact at (+) 93 72 892 2 190 Mohammadaseem.omar@swimafg.com.**
-
- Offerors must submit active DUNS number and SAM registration. Failure to provide active DUNS number and SAM registration will lead to disqualification.
- All contractors for SWIM activities are required to hire local laborers for all unskilled labor positions. These laborers will be hired from within the community of the nearby villages and beneficiaries of SWIM activities.
- As part of the RFP package, SWIM will provide copies of its Health and Safety Plan, Quality Control Plan and Environmental Mitigation plan to Offerors for their review and acceptance. If there are any concerns on the plans, Offerors should provide feedback to SWIM as part of the submission package
- Offerors should provide list of equipment adequate for the rehabilitation work (see Appendix 2 - List of Construction Equipment)
- Location map of the Mohammad Salabig Secondary canal is attached (Appendix 3 – Map of Location)

B. Submission of Proposal:

- Proposals must be submitted in an electronic format as an email attachment, sent to the email address specified in the cover letter, no later than the date and time specified in the cover letter.
- The email should state the solicitation number in the subject line.
- The file attachment should be in a format that can be opened by one of the following applications: PDF, MS Word, MS Excel, MS PowerPoint. The submission of attachments in any other format may result in disqualifying the offer.
- Please note that the SWIM email server has a limitation of 20MB for the total attachments per single email. It is strongly recommended that the size of ALL attachments per a single email be less than 20MB.
- The technical proposal and cost proposals should be submitted in two separate emails. The first should be named "Technical" and the second is named "Cost." If the submission will be through several emails, then the emails should be sequentially numbered indicating the total number of emails that will be submitted (example 1/4, 2/4, 3/4 and 4/4).

C. Content of Proposal:

The proposal shall consist of five (5) sections. 1) The Cover Page-Technical, 2) The Technical Proposal, 3) The Cover Page-Cost, 4) the Cost Proposal; and 5) The Attachments

1. The Cover Page-Technical:

The cover page should be on the Offeror's letterhead and MUST contain the following information:

- Solicitation Number
- Company's Name:
- Company's Address
- Name of Company's authorized representative
- Telephone No, Cellular Phone #, Email address
- Validity of Proposal
- Signature, Date and time

2. Technical Proposal:

The technical proposal shall describe how the Offeror intends to carry out the scope of work. It will also address the Offeror's corporate capabilities to carry out the work and the extent to which the Offeror has a demonstrated ability to provide the required services.

The Offeror will also include the resumes of all proposed Key Personnel. The Offeror shall provide information about past performance implementing similar work globally, and most particularly, in Afghanistan within the last 3 years. Capacity to undertake the technical and administrative backstopping of all interventions described in the Scope of Work. Offeror should also provide detailed description of existing facilities in Kabul and wider Afghanistan.

The technical proposal should be divided into three sections following the same order of the technical evaluation criteria mentioned in Attachment III. Failure to respond to any section will be the basis for disqualification of the Offeror from further consideration.

3. The Cover Page - Cost:

The cover page should be on the Offeror's letterhead and MUST contain the following information:

- Solicitation Number
- Company's Name:

- Company's Address
- Name of Company's authorized representative
- Telephone No, Cellular Phone #, Email address
- Total Proposed Price:
- Validity of Proposal
- Acceptance of Tax Withholding Statement
- Valid DUNS number and TIN
- A valid business license or Ministry of Economy Registration Certificate
- Signature, Date and time

4. The Cost Proposal:

As stated earlier, the cost proposal shall be submitted separately from the technical proposal. The budget will present the cost for performing the work specified in this solicitation. **A template is provided for the pricing as Appendix 1.** At a minimum, the cost proposal will include the following information:

- A detailed cost break-down of the proposed budget to the maximum extent practical using the Excel template provided.
- A detailed and comprehensive budget narrative explaining the basis for the cost estimates.

5. Attachments

This section will include any information or document that was not listed in the above sections and the Offeror finds necessary to include in the proposal. In this section, the Offeror will also include the information that will assist DT Global to determine the Offeror's responsibility. The following are required documents to be submitted with the proposal:

- Current copy of the business license (front and back)
- Proof of good standing with the Afghanistan Revenue Department
- Proof that there are no outstanding tax liabilities with the Afghan Government that could lead to company being unable to provide services as set out in the RFP

This solicitation in no way obligates DT Global to award a subcontract, nor does it commit DT Global to pay any costs incurred in preparation and submission of a proposal in response to the RFP. Furthermore, DT Global reserves the right to reject any and all offers if such action is in the best interest of DT Global.

D. Instructions for the Preparation of the Cost Proposal [this section will need more input once contract type is determined]

The subcontract type will be Fixed Priced (FP).

In accordance with Implementing Partner Notice #OAA-IP-2016-001, all contractors are required to utilize the current English version of the National Technical Assistance Salary Scale and Implementation Guideline (NTA) compensation scale, as posted on the Government of the Islamic Republic of Afghanistan (GIROA) Ministry of Finance website (<http://www.budgetmof.gov.af/index.php/en/>), as the Local Compensation Plan for all Cooperating Country Nationals (CCN) employees.

The Offeror must provide a completed Appendix 1 – Cost Proposal (see below). The cost proposal must include direct cost as well as indirect cost. On the indirect cost, the company must provide cost for warranty insurance for the canal for a period of one year.

ATTACHMENT III - EVALUATION CRITERIA

TECHNICAL PROPOSAL EVALUATION

Proposals will be evaluated according to the criteria stated herein. The relative importance of each individual criterion is indicated by the number of points assigned thereto. A total of 100 points is the maximum possible technical score for each proposal. The evaluation criteria serve to: (a) identify the significant factors which the Offeror should address in their proposal under each section and (b) set the standard against which all proposals will be evaluated.

- a) Technical Approach (30 points):
 - Detailed Methodology demonstrating understanding of the Scope of Work
- b) Past Performance (30 points):
 - The Offeror must submit complete past performance information (See Appendix 6 – Past Performance Form), including successful completion of at least 3 similar projects of similar size and scope in the past – 20 points
 - Demonstrate past performance in Baghlan and Northern Afghanistan – 10 points
- c) Management, Staffing and implementation plan (20 points):
 - Offerors must submit staff plan relevant to the activities in the Scope of Work (5 points)
 - Offerors must demonstrate management experience (5 points)
 - Offerors must demonstrate how they intend to manage the project (5 points)
 - Offerors must submit a smart, realistic and achievable implementation plan (5 points)
- d) Key Personnel CV (10 points):

Offerors must submit CVs of key personnel (Construction Manager and QC Manager) – 5 points

Offerors must provide information for at least 2 reference checks for each key personnel - 3 points

Key personnel must demonstrate experience relevant to the current activity – 2 points
- e) Equipment (10 points):

Offerors must submit list of equipment or machinery relevant to the activity under this RFP

Technical Approach	30 points
Past Performance	30 points
Management and Staffing Plan, Implementation Plan	20 points
Key Personnel CVs	10 points
Equipment	10 points
Total score	100 points

E. COST PROPOSAL EVALUATION

Evaluation scores are not assigned for cost. The review of the cost proposal shall include cost realism. This process will include a review of the cost portion of the Offeror's proposal to determine if the overall costs proposed are reasonable and realistic for the work to be performed, if the cost reflects that the Offeror understands the requirements, and if the costs are consistent with the technical part of the proposal. Cost proposals providing more direct funding towards the program instead of administrative costs will be reviewed favorably in the best value determination. Offerors must use the costing template provided as Annex 1.

Evaluation of cost proposals will consider, but not be limited to, the following:

- Cost realism and completeness of cost proposal and supporting documentation.
- Overall cost control evidenced in the proposal such as avoidance of excessive salaries, competitive procurement of subcontracts, excessive cost of management oversight and other costs in excess of reasonable requirements.
- Amount of proposed fee, if any.
- Cost efficiency of proposed Indirect Cost

After the final evaluation of the proposals, DT Global will make the award to the offeror whose proposal presents the best value to DT Global considering both technical merits and cost factors. "Best Value" means that proposal provides the greatest overall benefit in response to the requirement. Under the best value considerations, the trade-off process will be used which allows trade-off between price and non-cost factors so that DT Global may consider award to other than the lowest-priced offeror or highest technically rated offeror in order to accept other than the lowest priced proposal when the perceived benefits of the higher priced proposal merit the higher price. All evaluation factors when combined were significantly more important than cost factors.

ATTACHMENT IV

PRIME CONTRACT FLOW-DOWN CLAUSES

This Contract will be funded by the U.S. Agency for International Development (USAID) with AECOM implementing this USAID project. Applicable clauses incorporated herein by reference shall have the same force and effect as if they were incorporated in full text. A copy of the full text of each clause may be obtained from <http://www.acquisition.gov/far>, <http://www.usaid.gov/policy/ads/300/aidar.pdf>, or from AECOM's procurement official. The term "FAR" means Federal Acquisition Regulation. The terms, "Contractor," "Government" and "Contracting Officer" as used in these clauses shall refer to Vendor, AECOM, and AECOM Contract Administrator respectively. In no event shall any provision of this contract or Orders issued against it be construed as allowing the Vendor to appeal directly to or otherwise communicate directly with (USAID) without written consent of AECOM.

NUMBER	TITLE	DATE
FEDERAL ACQUISITION REGULATION (48 CFR Chapter 1)		
52.202-1	DEFINITIONS	NOV 2013
52.203-5	COVENANT AGAINST CONTINGENT FEES	MAY 2014
52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	SEP 2006
52.203-7	ANTI-KICKBACK PROCEDURES	MAY 2014
52.203-8	CANCELLATION, RESCISSION, AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	MAY 2014
52.203-13	CONTRACTOR CODE OF BUSINESS ETHICS AND CONDUCT	OCT 2015
52.204-10	REPORTING EXECUTIVE COMPENSATION AND FIRST-TIER SUBCONTRACT AWARDS	OCT 2018
52.204-13	SYSTEM FOR AWARD MANAGEMENT MAINTENANCE	OCT 2018
52.204-14	SERVICE CONTRACT REPORTING REQUIREMENTS	OCT 2016
52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	OCT 2015
52.209-9	UPDATES ON PUBLICLY AVAILABLE INFORMATION REGARDING RESPONSIBILITY MATTERS	OCT 2018

52.215-2	AUDIT AND RECORDS—NEGOTIATION	OCT 2010
52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT 1997
52.215-10	PRICE REDUCTION FOR DEFECTIVE CERTIFIED COST AND PRICING DATA	AUG 2011
52.215-11	PRICE REDUCTION FOR DEFECTIVE CERTIFIED COST AND PRICING DATA-MODIFICATIONS	AUG 2011
52.215-12	SUBCONTRACTOR COST AND PRICING DATA	OCT 2010
52.215-13	SUBCONTRACTOR COST AND PRICING DATA- MODIFICATIONS	OCT 2010
52.215-19	NOTIFICATION OF OWNERSHIP CHANGES	OCT 1997
52.215-23	LIMITATIONS ON PASS-THRU CHARGES	OCT 2009
52.216-7	ALLOWABLE COST AND PAYMENT	AUG 2018
52.217-8	OPTION TO EXTEND SERVICES	NOV 1999
52.222-26	EQUAL OPPORTUNITY	SEP 2016
52.222-50	COMBATING TRAFFICKING IN PERSONS	MAR 2015
52.223-6	DRUG-FREE WORKPLACE	MAY 2001
52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN 2008
52.225-19	CONTRACTOR PERSONNEL IN A DESIGNATED OPERATIONAL AREA/SUPPORTING DIPLOMATIC OR CONSULAR MISSION OUTSIDE UNITED STATES	MAR 2008
52.228-3	WORKERS' COMPENSATION INSURANCE (DBA)	JUL 2014
52.228-4	WORKERS' COMPENSATION AND WAR-HAZARD INSURANCE OVERSEAS	APR 1984
52.228-7	INSURANCE--LIABILITY TO THIRD PERSONS	MAR 1996
52.229-7	TAXES-FOREIGN FIXED PRICE CONTRACTS	MAR 1990
52.232-18	AVAILABILITY OF FUNDS	APR 1984
52.232-22	LIMITATION OF FUNDS	APR 1984
52.232-23	ASSIGNMENT OF CLAIMS	MAY 2014
52.232-25	PROMPT PAYMENT JULY 2017) ALTERNATE 1	FEB 2002
52.233-1	DISPUTES (MAY 2014) ALTERNATE 1	DEC 1991
52.233-3	PROTEST AFTER AWARD	AUG 1996
	ALTERNATE I	JUN 1985
52.233-4	APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM	OCT 2004
52.242-1	NOTICE OF INTENT TO DISALLOW COSTS	APR 1984
52.242-3	PENALTIES FOR UNALLOWABLE COSTS	MAY 2014
52.242-13	BANKRUPTCY	JUL 1995
52.242-15	STOP WORK ORDER	AUG 1989
	ALTERNATE I	APR 1984
52.243-1	CHANGES—FIXED PRICE	AUG 1987
52.243-7	NOTIFICATION OF CHANGES	JAN 2017
52.244-2	SUBCONTRACTS	OCT 2010
	ALTERNATE I (JUN 2007)	
52.244-5	COMPETITION IN SUBCONTRACTING	DEC 1996
52.244-6	SUBCONTRACTS FOR COMMERCIAL ITEMS	OCT 2018
52.246-25	LIMITATION OF LIABILITY—SERVICES	FEB 1997
52.249-2	TERMINATION (FIXED PRICE)	APR 2012
52.249-14	EXCUSABLE DELAY	

AIDAR 48 CFR Chapter 7

752.202-1	DEFINITIONS	JAN 1990
752.209-71	ORGANIZATIONAL CONFLICT OF INTEREST	JUN 1993
	DISCOVERED AFTER AWARD	
752.211-70	LANGUAGE AND MEASUREMENT	JUN 1992

752.222-781	NONDISCRIMINATION	JUN 2012
752.225-70	SOURCE AND NATIONALITY REQUIREMENTS	FEB 2012
752.228-3	WORKERS' COMPENSATION INSURANCE (DBA)	DEC 1991
752.228-7	INSURANCE-LIABILITY TO THIRD PERSONS	JUL 1997
752.7002	TRAVEL AND TRANSPORTATION	JAN 1990
752.7006	NOTICES	APR 1984
752.7009	MARKING	JAN 1993
752.7010	CONVERSION OF U.S. DOLLARS TO LOCAL CURRENCY	APR 1984
752.7013	CONTRACTOR-MISSION RELATIONSHIPS	OCT 1989
752.7025	APPROVALS	APR 1984
752.7027	PERSONNEL	DEC 1990
752.7033	PHYSICAL FITNESS	JUL 1997

EXECUTIVE ORDER ON TERRORISM FINANCING (AUG 2016)

The Subcontractor/Recipient is reminded that U.S. Executive Orders and U.S. law prohibits transactions with, and the provision of resources and support to, individuals and organizations associated with terrorism. It is the legal responsibility of the subcontractor/recipient to ensure compliance with these Executive Orders and laws. This provision must be included in all subcontracts/sub-awards issued under this subcontract/agreement.

Bill No 1: Canal Lining of 175 M

Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking tof the excavation all complete.	M ³	437.50			
2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and specification and satisfaction of the SWIM engineers.	M ³	437.50			
	Concrete Works					
3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	63.40			
4	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	17.50			
	Masonry Works					

5	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	140.00			
6	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	315.00			
7	Water Stopper: Provide all necessary materials, equipment, labors and other required tools for supply and installation of best quality PVC water stopper with 22.5 cm width as per relevant design drawings, technical specification and with all required activities.	M	36.00			
8	Joints: Joint filler and joint sealer as specified in drawing and technical specification.	M	140.00			
Grand Total Sub-Project					-	

Bill No 2: Rehabilitation/Construction of 110 M Retaining Wall, Sub-BoQ

Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking of the excavation all complete.	M ³	560.00			

2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and specification and satisfaction of the SWIM engineers.	M ³	230.00			
	Concrete Works					
3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	56.98			
4	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	22.00			
	Masonry Works					
5	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	450.00			
6	Pointing (1:3): Surfacing and Pointing of Stone Masonry with 1: 3 Cement Sand Mortar including material, labor, scaffolding, curing, etc in accordance to the drawings, specification and complete satisfaction of the site engineer.	M ²	245			
7	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	164.00			

8	Water Stopper: Provide all necessary materials, equipment, labors and other required tools for supply and installation of best quality PVC water stopper with 22.5 cm width as per relevant design drawings, technical specification and with all required activities.	M	21.00			
9	Joints: Joint filler and joint sealer as specified in drawing and technical specification.	M	21.00			
Grand Total Sub-Project					-	

Bill No 3: Rehabilitation/Construction of one (1) Drop Structure

Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking of the excavation all complete.	M ³	20.00			
2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and specification and satisfaction of the SWIM engineers.	M ³	12.00			
	Concrete Works					
3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	1.13			

4	Reinforcement Cement Concrete M25 (1:1:2) Supplying, placing, compacting and curing including formworks rebar cutting bending & binding by G.I wire of reinforcement steel bars for RCC works as per relevant drawings, specification and to the complete satisfaction of the engineer. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction.	M ³	0.11			
5	Mass Concrete: M15 (1:2:4) Supplying and placing of the mixed mortar cement with stone of approved quality for beds and aprons. in accordance to the relevant drawings, specification and as per the complete satisfaction of the engineer.	M ³	3			
6	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	0.73			
	Masonry Works					
7	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	28.40			
8	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	20.00			

9	Steel Slide Gate for Drop Structure Size (110*190) cm: Supply/Fabrication and Installation of Steel gate including three coats of enamel paint (one coat of red oxide+ two coat of enamel paint), Labor and Material as per relevant drawing, Technical specification with all required activities.	Pcs	1.00			
10	Steel Slide Gate for Turnout Structure Size (80*180) cm: Supply/Fabrication and Installation of Steel gate including three coats of enamel paint (one coat of red oxide+ two coat of enamel paint), Labor and Material as per relevant drawing, Technical specification with all required activities.	Pcs	2.00			
Grand Total Sub-Project					-	

Bill No 4: Rehabilitation/Construction of one (1) Control Structure

Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking tof the excavation all complete.	M ³	60.00			
2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and specification and satisfaction of the SWIM engineers.	M ³	40.00			
	Concrete Works					

3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	4.12			
4	Reinforcement Cement Concrete M25 (1:1:2) Supplying, placing, compacting and curing including formworks rebar cutting bending & binding by G.I wire of reinforcement steel bars for RCC works as per relevant drawings, specification and to the complete satisfaction of the engineer. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction.	M ³	0.28			
6	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	1.44			
7	Stone Pitching: Supplying and placing the stone of approved quality, in accordance to the relevant drawings, specification and as per the complete satisfaction of the engineer.	M ³	1.08			
	Masonry Works					
8	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	36.00			
9	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	22.50			

10	Steel Slide Gate for Control Structure Size (100*180) cm: Supply/Fabrication and Installation of Steel gate including three coats of enamel paint (one coat of red oxide+ two coat of enamel paint), Labor and Material as per relevant drawing, Technical specification with all required activities.	Pcs	2.00			
Grand Total Sub-Project					-	
Bill No 5: Rehabilitation/Construction of 2 Numbers of Turnouts in Lining						
Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Concrete Works					
1	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	1.97			
2	Reinforcement Cement Concrete M25 (1:1:2) Supplying, placing, compacting and curing including formworks rebar cutting bending & binding by G.I wire of reinforcement steel bars for RCC works as per relevant drawings, specification and to the complete satisfaction of the engineer. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction.	M ³	0.20			
3	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	0.72			
	Masonry Works					

4	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	7.20			
5	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	7.20			
6	Steel Slide Gate for Check Structure in Lined Canal Size (130*180) cm: Supply/Fabrication and Installation of Steel gate including three coats of enamel paint (one coat of red oxide+ two coat of enamel paint), Labor and Material as per relevant drawing, Technical specification with all required activities.	Pcs	4.00			

Grand Total Sub-Project

-

Bill No 6: Rehabilitation/Construction of 24 Numbers of Turnouts in Unlined

Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking of the excavation all complete.	M ³	342.00			
2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and	M ³	342.00			

	specification and satisfaction of the SWIM engineers.					
	Concrete Works					
3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	25.87			
4	Reinforcement Cement Concrete M25 (1:1:2) Supplying, placing, compacting and curing including formworks rebar cutting bending & binding by G.I wire of reinforcement steel bars for RCC works as per relevant drawings, specification and to the complete satisfaction of the engineer. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction.	M ³	2.70			
5	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	11.23			
	Masonry Works					
6	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	120.00			
7	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	192.00			

8	Steel Slide Gate for Check Structure in Unlined Canal Size (110*180): Supply/Fabrication and Installation of Steel gate including three coats of enamel paint (one coat of red oxide+ two coat of enamel paint), Labor and Material as per relevant drawing, Technical specification with all required activities.	Pcs	24.00			
9	Steel Slide Gate for Turnout Structure Size (80*180) cm: Supply/Fabrication and Installation of Steel gate including three coats of enamel paint (one coat of red oxide+ two coat of enamel paint), Labor and Material as per relevant drawing, Technical specification with all required activities.	Pcs	24.00			
Grand Total Sub-Project					-	

Bill No 7: Rehabilitation/Construction of one (1) Slab culvert

Sl	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking of the excavation all complete.	M ³	31.50			
2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and specification and satisfaction of the SWIM engineers.	M ³	26.60			
	Concrete Works					

3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	2.20			
4	Reinforcement Cement Concrete M25 (1:1:2) Supplying, placing, compacting and curing including formworks rebar cutting bending & binding by G.I wire of reinforcement steel bars for RCC works as per relevant drawings, specification and to the complete satisfaction of the engineer. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction.	M ³	3.67			
5	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	0.36			
	Masonry Works					
6	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	14.70			
7	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	12.60			
Grand Total Sub-Project					-	

Bill No 8: Rehabilitation/Construction of one (1) Foot culvert

SI	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFS	Remarks
	Earth Works					
1	Soil Excavation: Excavation in ordinary soil (in Canal/Riverbed etc.) in all kind of soil including, dewatering and transferring the disposal of surplus material away from the site to a distance as recommended by the engineer. Earthwork in excavation in foundation, ramming the bottom, stacking of the excavation all complete.	M ³	6.40			
2	Compacted Backfilling: Backfilling with selected material from excavation or borrow pits from approved source including compaction to 90%/95% of modified proctor in layers not more than 15 cm thick in accordance to the relevant drawing and specification and satisfaction of the SWIM engineers.	M ³	3.84			
	Concrete Works					
3	Plain Cement Concrete M20 (1:1.5:3): Supplying, placing, compacting and curing PCC Class M20 (1:1.5:3) including formworks as per relevant drawings, specification and to the complete satisfaction of engineer.	M ³	1.88			
4	Reinforcement Cement Concrete M25 (1:1:2) Supplying, placing, compacting and curing including formworks rebar cutting bending & binding by G.I wire of reinforcement steel bars for RCC works as per relevant drawings, specification and to the complete satisfaction of the engineer. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction.	M ³	0.43			

5	Gravelling: Supplying, laying, moistening and compacting of base course material (Crush aggregates) size(5mm,10mm,20mm) under PCC on the bottom of the foundation in accordance to the relevant design drawings, technical specification with all required activities.	M ³	0.73			
	Masonry Works					
6	Stone Masonry (1:4): Providing and laying of minerals Stone masonry with cement sand mortar 1:4 (Type B) as per relevant drawings. This activity will also include the demolishing of existing concrete structures, disposal of surplus material etc as per Engineer direction. Specifications and to the complete satisfaction of the SWIM Engineers.	M ³	29.40			
7	Plastering (1:3): Surfacing of stone masonry with 1:3 cement sand mortar including material, labor, curing, etc in accordance to the drawings, specification and complete satisfaction of the SWIM engineers	M ²	5.76			
8	2" Galvanized Guardrail: Supply/Fabrication and Installation of steel gate including three coats of enamel paint (one coat of red oxide + two coat of enamel paint), Labor and \material as per relevant drawing, Technical specification with all required activities	M ²	4.8			

Grand Total Sub-Project

-

Bill # 9: Miscellaneous Works

SI	Item Description	Unit	Quantity	Unit Rate AFN	Total Amount AFN
1	Mobilization: Mobilization shall include all activities and associated tasks for transportation of contractor's personnel, equipment, and operating supplies to the site; establishment of offices, buildings, and	L S	1		

	other necessary general facilities for the contractor's operations at the construction site				
2	Diversion and Dewatering: Diversion and dewatering throughout the sub-project during whole period of project performance as recommended by the SWIM engineer.	L S	1		
3	Sign Board: Supply and installation of the project sign board as per drawing dimension	Pc s	1		
4	Demobilization and site clearances: Provide all necessary labor, equipment and materials to the disposal of any materials, wastes, effluents, trash, garbage, oil, grease, chemicals, and similar extra excavated soil, shrubs, Trees, hazardous substances after completion of construction works, it must be transported to a suitable disposal site by the Contractor.	L S	1		
5	Quality Control: -The vendor shall properly control and manage the quality of the work according to the SWIM Quality Control plan and other related documents including carrying necessary tests in second party laboratory as specified in the technical specifications.	L S	1		
6	Health & Safety and Environmental Requirements: The vendor shall provide and equip the construction workers with Personal Protective Equipment (PPE) and other tools and equipment's necessary for Health and Safety at the project site during the canal rehabilitation	L S	1		
	SUBTOTAL Carried to Summary				


SUMMARY OF BILLS		
BILL #	BILL DESCRIPTION	AMOUNT IN AFN
1	Secondary Canal Lining, 175 Meters	
2	Rehabilitation of Drop Structure (1) number	
3	Rehabilitation of Control Structure (1) number	
4	Rehabilitation of Turnouts in Lining (2) numbers	
5	Rehabilitation of Turnouts in Unlined (24) numbers	
6	Rehabilitation of Slab Concrete Culvert (1) number	
7	Rehabilitation of Foot Concrete Culvert (1) number	
8	Construction of Retaining Wall 110 Meters	
9	Miscellaneous Works	
	GRAND TOTAL	

Appendix 2 - List of Construction Equipment

Offerors should provide list of construction equipment using the table below

EQUIPMENT						
Owned, Purchased, or Leased	Description of Unit (Make, Model, Year)	Capacity HP Rating	Condition	Present Location or Source	Date of Delivery at Site	Period of Work on Project
1	2	3	4	5	6	7
a. Owned						
b. To be Purchased						
c. To be Leased						

Appendix 3 - Map of Mohammad Salabeg Secondary Canal



Appendix 4 - Qualification and Experience of Key Personnel - Construction Manager

1) Respondent: _____

2) Name: _____

3) Title: _____

4) # of Years with the Firm: _____

5) # of Years as a Project Manager for General Construction Services: _____

6) Please check all experience that applies to you:

Project Type: (Check ALL boxes that apply to the Scope of Work)

<input type="checkbox"/>	Canal lining	<input type="checkbox"/>	Foundations	<input type="checkbox"/>	Protection walls
<input type="checkbox"/>	Hydraulic structures	<input type="checkbox"/>	Landscaping	<input type="checkbox"/>	Other
<input type="checkbox"/>	Sluice gates	<input type="checkbox"/>	Irrigation	<input type="checkbox"/>	
<input type="checkbox"/>	Concrete	<input type="checkbox"/>	Construction Management	<input type="checkbox"/>	
<input type="checkbox"/>	Water storage reservoirs	<input type="checkbox"/>	Quality Management	<input type="checkbox"/>	

7) Percentage of time this individual will be dedicated to this contract: _____ %

8) ATTACH RESUME

9) Reference# 1:

Project: _____

Agency/firm Name: _____ Title: _____

Phone: _____ Email Address: _____

10) Reference# 2:

Project _____

Agency/firm Name _____ Title _____

Phone: _____ Email Address: _____

11) Reference# 3:

Project _____

Agency/firm Name _____ Title _____

Phone: _____ Email Address: _____

Appendix 5 - Qualification and Experience of Key Personnel - Quality Control Manager

1) Respondent: _____

2) Name: _____

3) Title: _____

4) # of Years with the Firm: _____

5) # of Years as a Quality Manager for General Construction Services: _____

6) Please check all experience that applies to you:

Project Type: (Check ALL boxes that apply to the Scope of Work)

<input type="checkbox"/>	Canal lining	<input type="checkbox"/>	Foundations	<input type="checkbox"/>	Protection walls
<input type="checkbox"/>	Hydraulic structures	<input type="checkbox"/>	Landscaping	<input type="checkbox"/>	Other
<input type="checkbox"/>	Sluice gates	<input type="checkbox"/>	Irrigation	<input type="checkbox"/>	
<input type="checkbox"/>	Concrete	<input type="checkbox"/>	Construction Management	<input type="checkbox"/>	
<input type="checkbox"/>	Water storage reservoirs	<input type="checkbox"/>	Quality Management	<input type="checkbox"/>	

7) Percentage of time this individual will be dedicated to this contract: _____ %

8) ATTACH RESUME

9) Reference# 1:

Project: _____

Agency/firm Name: _____ Title: _____

Phone: _____ Email Address: _____

10) Reference# 2:

Project _____

Agency/firm Name _____ Title _____

Phone: _____ Email Address: _____

11) Reference# 3:

Project _____

Agency/firm Name _____ Title _____

Phone: _____ Email Address: _____

Appendix 6 – Past Performance Form

Eligible Respondents must possess verifiable experience and demonstrate successful past performance of comparable work completed in the last 5 years.

For the purpose of demonstrating successful past performance, Respondent's experience must include, comparable projects whose scope of work includes, but not limited to canal rehabilitation, hydraulic structures, supply and installation of sluice gates, reparation and or replacement of sluice gates, canal lining, structures in concrete, construction of water storage reservoirs, land leveling, construction of protection walls for canals. Respondents must demonstrate their successful completion of comparable projects simultaneously performed on multiple sites. Respondents must have demonstrated successful experience managing and executing of multiple concurrent comparable projects.

Respondents must have been fully contractually responsible for all or the work required on the comparable projects but, while the ability and resources necessary to self-perform the work is desirable, Respondent need not have self-performed the work on the comparable projects.

Comparable construction projects may have been delivered through traditional bid, Design-Bid-Build, Indefinite Quantity Contracting, or other project delivery methods.

Respondent's Name:

Agency/Client Name:

Project Name:

Project Value: US\$

Company Role: ☐ Prime ☒ JV ☐ Contractor ☐ Sub Contractor

Agency: ☐ Public ☐ Private

Estimated Self Performance (%): _

Project Type: (Check ALL boxes that apply to the Scope of Work)

<input type="checkbox"/>	Canal lining	<input type="checkbox"/>	Foundations	<input type="checkbox"/>	Protection walls
<input type="checkbox"/>	Hydraulic structures	<input type="checkbox"/>	Landscaping	<input type="checkbox"/>	Other
<input type="checkbox"/>	Sluice gates	<input type="checkbox"/>	Irrigation	<input type="checkbox"/>	
<input type="checkbox"/>	Concrete	<input type="checkbox"/>	Construction Management	<input type="checkbox"/>	
<input type="checkbox"/>	Water storage reservoirs	<input type="checkbox"/>	Quality Management	<input type="checkbox"/>	

Client Reference: (It is your responsibility to assure that the contact information listed is correct. If your reference can not be contacted, this project may not be considered.)

Contact: Name _____ **Title** _____

Telephone: _____ **Email Address:** _____

Briefly describe the project: Attach an additional page, if necessary.

Appendix 7

Evidence of Responsibility -- FAR Subsection 9.104

To be determined responsible, a prospective contractor must --

- (a) Have adequate financial resources to perform the contract, or the ability to obtain them see FAR 9.104-3(a);
- (b) Be able to comply with the required or proposed delivery or performance schedule, taking into consideration all existing commercial and governmental business commitments;
- (c) Have a satisfactory performance record (see 9.104-3 (b) and Subpart 42.15). A prospective contractor shall not be determined responsible or non-responsible solely on the basis of a lack of relevant performance history, except as provided in 9.104-2;
- (d) Have a satisfactory record of integrity and business ethics;
- (e) Have the necessary organization, experience, accounting and operational controls, and technical skills, or the ability to obtain them (including, as appropriate, such elements as production control procedures, property control systems, quality assurance measures, and safety programs applicable to materials to be produced or services to be performed by the prospective contractor and subcontractors). (See 9.104-3 (a));
- (f) Have the necessary production, construction, and technical equipment and facilities, or the ability to obtain them (see 9.104-3(a));
- (g) Be otherwise qualified and eligible to receive an award under applicable laws and regulations.

Appendix 8

(See Mohammad Salabig Secondary Canal's Design/Drawings attached to this document)